

Table of Contents

List of Changes and Additons.....	i
Explanatory Note	i
Acknowledgements	ii
Assessment Report Summary	iii
Reference Table:	xix
List of Tables	xxii
List of Figures.....	xxv
List of Maps (Volume II).....	xxvi
List of Appendices (Volume III)	xxxiii
List of Acronyms	xxxv
Chapter 1 – Introduction.....	1
1.1 Drinking Water Source Protection and the Ontario Clean Water Act, 2006	1
1.2 The Source Protection Planning Process	1
1.3 Participants in the Process	3
1.4 Scope and Purpose of the Assessment Report	4
1.5 Methods of Technical Work	6
1.6 Limitations	7
Chapter 2 – Cataraqui Source Protection Area.....	8
2.0 Introduction.....	8
2.1 Watersheds in the Source Protection Area.....	8
2.2 Overview of Physical Geography	11
2.3 Overview of Human Geography	27
2.4 The Cataraqui Area and the Great Lakes.....	30
Chapter 3 – Water Budgets.....	34
3.1 What is a Water Budget?	34
3.2 Conceptual Water Budget.....	36
3.3 Tier 1 Water Budget and Stress Assessment	44
3.4 Tier 2 and 3 Water Budgets	47
3.5 Conclusions.....	52

**Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)**

Chapter 4 – Source Water Quality Issue Evaluation and Threat Assessment.....	54
Purpose.....	54
4.1 Delineating and Scoring Vulnerable Areas.....	54
4.2 Drinking Water Issue Evaluation.....	55
4.3 Threat Assessment.....	56
Chapter 5 – Groundwater Sources.....	64
Purpose.....	64
5.1 Area-Wide Groundwater Sources.....	64
5.2 Wellhead Protection Areas.....	81
Chapter 6 – Surface Water Sources.....	116
Purpose.....	116
6.1 What is an Intake Protection Zone?.....	116
6.2 Eastern Lake Ontario/Upper St. Lawrence River Intakes.....	124
6.3 Picton Intake.....	176
6.4 Inland Intakes.....	181
Chapter 7 – Climate Change and Source Protection.....	190
7.1 Research to Date for Southeastern Ontario.....	190
7.2 Potential Impacts on Water Quantity.....	192
7.3 Potential Impacts on Water Quality.....	192
7.4 Potential Impacts to Vulnerable Area Delineations.....	193
7.5 Considerations for Monitoring Climate Change.....	194
7.6 Mitigation / Adaptation to Climate Change.....	194
Chapter 8 - Topics for Additional Research.....	196
8.1 Summary of Data Gaps.....	196
8.2 Anticipated Improvements for Subsequent Assessment Reports.....	196
Chapter 9 – Key Findings.....	202
9.1 Key Findings in this Assessment Report.....	202
References.....	208
Glossary of Terms.....	230

List of Tables

Chapter 1 Introduction

Table 1-1	Municipal Residential Drinking Water Systems in the CSPA.....	5
-----------	---	---

Chapter 2 Cataraqui Source Protection Area

Table 2-1	Soil Characteristic and Percentage of Total Area.....	18
Table 2-2	Comparison of Land-use and Land Cover in the CSPA.....	19
Table 2-3	Surface Water Quality Grades	20
Table 2-4	Groundwater Quality Grades	22

Chapter 3 Water Budgets

Table 3-1	Municipal and Federal Water Treatment Plant Withdrawal Volumes.....	40
Table 3-2	Water Well Use Breakdown	42
Table 3-3	Surface Water Stress Thresholds	45
Table 3-4	Groundwater Stress Thresholds	45
Table 3-5	Tier 1 Water Budget Stress Assessment for the CSPA.....	47

Chapter 4 Source Water Quality Issue Evaluation and Threat Assessment

Table 4-1	Significant Threat Categories in a Wellhead Protection Area.....	60
Table 4-2	Significant Threat Categories in an Intake Protection Zone.....	61

Chapter 5 Groundwater Sources

Table 5-1	Paleozoic Formations East of the Frontenac Arch.....	66
Table 5-2	Paleozoic Formations West of the Frontenac Arch	67
Table 5-3	Vulnerability Ranking by Surficial Geology	73
Table 5-4	Wellhead Protection Area Vulnerability Scores	83
Table 5-5	Groundwater Supply Well Summary Information.....	84
Table 5-6	Transport Pathways & Watercourses in WHPAs	85
Table 5-7	Cana Well Supply Drinking Water Threats Summary	92
Table 5-8	Threat Type and Occurrence in Cana WHPA.....	93

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

Table 5-9	Lansdowne Well Supply Drinking Water Threats Summary	101
Table 5-10	Threat Type and Occurrence in the Lansdowne WHPA	102
Table 5-11	Miller Manor Well Supply Drinking Water Threats Summary	110
Table 5-12	Threat Type and Occurrence in the Miller Manor WHPA	110
Table 5-13	Westport Well Supply Drinking Water Threats Summary	115

Chapter 6 Surface Water Sources

Table 6-1	CSPA Intake Type	117
Table 6-2	IPZ 1 Dimensions	117
Table 6-3	Drinking Water System Information	122
Table 6-3	Drinking Water System Information (continued)	123
Table 6-4	Transport Pathways & Watercourses in IPZs	127
Table 6-5	Allowable Vulnerability Score Ranges, Lake Ontario & St. Lawrence River Intakes	130
Table 6-6	Overall Vulnerability Scores: Lake Ontario & St. Lawrence River Intakes.....	132
Table 6-7	WTP Raw Water Withdrawal Volumes.....	133
Table 6-8	Brockville WTP Drinking Water Threats Summary	138
Table 6-9	Threat Type and Occurrence in the Brockville IPZ.....	139
Table 6-10	James W. King (Gananoque) WTP Drinking Water Threats Summary.....	144
Table 6-11	Threat Type and Occurrence in James W. King (Gananoque) IPZ	145
Table 6-12	Kingston Central WTP Drinking Water Threats Summary	149
Table 6-13	Threat Type and Occurrence in Kingston Central IPZ	150
Table 6-14	Point Pleasant (Kingston West) WTP Drinking Water Threats Summary	153
Table 6-15	Threat Type and Occurrence in Point Pleasant (Kingston West) IPZ	154
Table 6-16	Fairfield (Amherstview) WTP Drinking Water Threats Summary	158
Table 6-17	Threat Type and Occurrence in Fairfield IPZ.....	159
Table 6-18	Bath WTP Drinking Water Threats Summary.....	164
Table 6-19	Threat Type and Occurrence in Bath IPZ.....	165
Table 6-20	A.L. Dafoe (Napanee) WTP Drinking Water Threats Summary.....	170
Table 6-21	Threat Type and Occurrence in A.L. Dafoe IPZ	171
Table 6-22	Sandhurst Shores WTP Drinking Water Threats Summary	175

**Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)**

Table 6-23	Threat Type and Occurrence in Sandhurst Shores IPZ.....	175
Table 6-24	Picton IPZ 3b WTP Drinking Water Threats Summary	180
Table 6-25	Threat Type and Occurrence in Picton IPZ	180
Table 6-26	WTP Raw Water Withdrawal Volumes, Sydenham.....	182
Table 6-27	Vulnerability scoring for Sydenham Intake Protection Zones.....	184
Table 6-28	Sydenham WTP Drinking Water Threats Summary	187
Table 6-29	Threat Type and Occurrence in Sydenham IPZ.....	188

Chapter 9 Key Findings

Table 9-1	Parcels with Drinking Water Threats Identified within the CSPA.....	204
Table 9-2a	Type and Occurrence of Significant Threat Activities.....	205
Table 9-2a	Type and Occurrence of Significant, Moderate and Low Threat Activities	206
Table 9-3	Drinking Water Issues related to Human Activities	207

List of Figures

Chapter 2 Cataraqui Source Protection Area

Figure 2-1	Geological Time Scale and Geological Events in the CRCA.....	12
Figure 2-2	Schematic Geological Cross-Section of the CRCA.....	13

Chapter 3 Water Budgets

Figure 3-1	Regional hydrologic cycle	35
Figure 3-2	Water withdrawal source	39
Figure 3-3	Public Water Supply Withdrawal Source	41

Chapter 6 Surface Water Sources

Figure 6-1	Great Lakes (Type ‘A’ Intake) IPZ Delineation Example.....	119
Figure 6-2	Great Lakes (Type ‘A’ Intake) IPZ Transport Pathway Delineation Example ..	120
Figure 6-3	Connecting Channel (Type ‘B’ Intake) IPZ Delineation Example.....	120
Figure 6-4	Inland Lakes (Type ‘D’ Intake) IPZ Delineation Example	121

List of Maps (Volume II)

Chapter 1 Introduction

- Map 1-1 Southeastern Ontario Source Protection Areas and Source Protection Regions
Map 1-2 Base Map

Chapter 2 Cataraqui Source Protection Area

- Map 2-1 General Description
Map 2-2 Major Watersheds & Subwatersheds
Map 2-3 Bedrock Geology
Map 2-4 Surficial Geology
Map 2-5 Physiography
Map 2-6 Topography
Map 2-7 Surface Water Quality (based on selected parameters)
Map 2-8 Groundwater Quality (based on selected parameters)
Map 2-9 Water Control Structures
Map 2-10 Drinking Water System Classification
Map 2-11 Drinking Water Systems and Municipally Serviced Areas
Map 2-12 Monitoring Wells
Map 2-13 Natural Vegetative Cover
Map 2-14 Waterbody Temperature
Map 2-15 Benthic Macroinvertebrates, Sampling from 2003 – 2009
Map 2-16 Population by Municipality & Population Density, 2006
Map 2-17 Areas of Settlement
Map 2-18a Highly Vulnerable Aquifers - Total Impervious Surface Area
Map 2-18b Significant Groundwater Recharge Area - Total Impervious Surface Area
Map 2-18c Wellhead Protection Areas and Intake Protection Zones - Total Impervious Surface Area
Map 2-19a Highly Vulnerable Aquifers - Per cent Managed Lands
Map 2-19b Significant Groundwater Recharge Area - Per cent Managed Lands
Map 2-19c Wellhead Protection Areas and Intake Protection Zones - Per cent Managed Lands

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

Map 2-20a	Highly Vulnerable Aquifers - Livestock Density
Map 2-20b	Significant Groundwater Recharge Area - Livestock Density
Map 2-20c	Wellhead Protection Areas and Intake Protection Zones - Livestock Density
Map 2-21	Federal Lands
Map 2-22	Bay of Quinte AOC

Chapter 3 Water Budgets

Map 3-1	Stream Flow Gauging Stations
Map 3-2	Subwatersheds
Map 3-3	Tier 1 Surface Water Stress Assessment
Map 3-4	Tier 1 Groundwater Stress Assessment
Map 3-5	Tier 2 Sydenham Lake Stress Assessment
Map 3-6	Tier 2 Lansdowne Stress Assessment

Chapter 4 Source Water Quality Issue Evaluation and Threat Assessment

Map 4-1	Surface Water Intake Protection Zones and Wellhead Protection Areas
---------	---

Chapter 5 Groundwater Sources

Map 5-1a	Aquifer Vulnerability Assessment - Intrinsic Susceptibility Index Protocol (2002 Amendment) at Wells
Map 5-1b	Aquifer Vulnerability Assessment - Inverse Distance Weighted (IDW) Interpolation of ISI Findings
Map 5-1c	Aquifer Vulnerability Assessment - Surficial Geology
Map 5-1d	Aquifer Vulnerability Assessment - Overlay of ISI (Interpolation) and Surficial Geology
Map 5-1e	Highly Vulnerable Aquifers
Map 5-2	Highly Vulnerable Aquifers - Locations where chemical threats can be significant, moderate, or low
Map 5-3	Highly Vulnerable Aquifers - Locations where pathogen threats can be significant, moderate, or low
Map 5-4	Highly Vulnerable Aquifers - Locations where DNAPL threats can be significant, moderate, or low
Map 5-5	Highly Vulnerable Aquifers - Locations where conditions can be significant, moderate, or low

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

Map 5-6	Significant Groundwater Recharge Area Assessment, Recharge Rate (Technical Rule 44(1))
Map 5-7	Significant Groundwater Recharge Areas
Map 5-8	Significant Groundwater Recharge Areas - Locations where chemical threats can be moderate, or low
Map 5-9	Significant Groundwater Recharge Areas - Locations where pathogen threats can be moderate, or low
Map 5-10	Significant Groundwater Recharge Areas - Locations where DNAPL threats can be moderate, or low
Map 5-11	Significant Groundwater Recharge Areas - Locations where conditions can be moderate, or low
Map 5-12	Cana Wellhead Protection Area
Map 5-13	Cana WHPA - Intrinsic Susceptibility Index Realignment
Map 5-14	Cana WHPA - Vulnerability Scoring
Map 5-15	Cana WHPA - Locations where chemical threats can be significant, moderate, or low
Map 5-16	Cana WHPA - Locations where pathogen threats can be significant, moderate, or low
Map 5-17	Cana WHPA - Locations where DNAPL threats can be significant, moderate, or low
Map 5-18	Cana WHPA - Locations where conditions can be significant, moderate, or low
Map 5-19	Cana WHPA - Corridors
Map 5-20	Lansdowne Wellhead Protection Area
Map 5-21	Lansdowne WHPA - Intrinsic Susceptibility Index
Map 5-22	Lansdowne WHPA - Vulnerability Scoring
Map 5-23	Lansdowne WHPA - Locations where chemical threats can be significant, moderate, or low
Map 5-24	Lansdowne WHPA - Locations where pathogen threats can be significant, moderate, or low
Map 5-25	Lansdowne WHPA - Locations where DNAPL threats can be significant, moderate, or low
Map 5-26	Lansdowne WHPA - Locations where conditions can be significant, moderate, or low
Map 5-27	Lansdowne WHPA - Corridors
Map 5-28	Miller Manor Wellhead Protection Area

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

Map 5-29	Miller Manor WHPA - Intrinsic Susceptibility Index
Map 5-30	Miller Manor WHPA - Vulnerability Scoring
Map 5-31	Miller Manor WHPA - Locations where chemical threats can be significant, moderate, or low
Map 5-32	Miller Manor WHPA - Locations where pathogen threats can be significant, moderate, or low
Map 5-33	Miller Manor WHPA - Locations where DNAPL threats can be significant, moderate, or low
Map 5-34	Miller Manor WHPA - Locations where conditions can be significant, moderate, or low
Map 5-35	Miller Manor WHPA - Corridors
Map 5-36	Westport Wellhead Protection Area
Map 5-37	Westport WHPA - Intrinsic Susceptibility Index
Map 5-38	Westport WHPA - Vulnerability Scoring
Map 5-39	Westport WHPA - Locations where chemical threats can be significant, moderate, or low
Map 5-40	Westport WHPA - Locations where pathogen threats can be significant, moderate, or low
Map 5-41	Westport WHPA - Locations where DNAPL threats can be significant, moderate, or low
Map 5-42	Westport WHPA - Locations where conditions can be significant, moderate, or low
Map 5-43	Westport WHPA - Corridors

Chapter 6 **Surface Water Sources**

Map 6-1	Brockville Intake Protection Zones 1 and 2
Map 6-2	Brockville IPZs 1 and 2 - Including the USA
Map 6-3	Brockville IPZs 1 and 2 - Vulnerability Scoring
Map 6-4	Brockville IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-5	Brockville IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-6	Brockville IPZs - Locations where DNAPL threats can be significant, moderate, or low

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

Map 6-7	Brockville IPZs - Locations where conditions can be significant, moderate, or low
Map 6-8	Brockville IPZs - Corridors
Map 6-9	James W. King Intake Protection Zones 1 and 2
Map 6-10	James W. King IPZs 1 and 2 - Vulnerability Scoring
Map 6-11	James W. King IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-12	James W. King IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-13	James W. King IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-14	James W. King IPZs - Locations where conditions can be significant, moderate, or low
Map 6-15	James W. King IPZs - Corridors
Map 6-16	Kingston Central Intake Protection Zones 1 and 2
Map 6-17	Kingston Central IPZs 1 and 2 - Vulnerability Scoring
Map 6-17a	Kingston Central and Point Pleasant - Vulnerability Scoring
Map 6-18	Kingston Central IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-19	Kingston Central IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-20	Kingston Central IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-21	Kingston Central IPZs - Locations where conditions can be significant, moderate, or low
Map 6-22	Kingston Central IPZs - Corridors
Map 6-23	Point Pleasant Intake Protection Zones 1 and 2
Map 6-24	Point Pleasant IPZs 1 and 2 - Vulnerability Scoring
Map 6-24a	Point Pleasant and Kingston Central - Vulnerability Scoring
Map 6-25	Point Pleasant IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-26	Point Pleasant IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-27	Point Pleasant IPZs - Locations where DNAPL threats can be significant, moderate, or low

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

Map 6-28	Point Pleasant IPZs - Locations where conditions can be significant, moderate, or low
Map 6-29	Point Pleasant IPZs - Corridors
Map 6-30	Fairfield Intake Protection Zones 1 and 2
Map 6-31	Fairfield IPZs 1 and 2 - Vulnerability Scoring
Map 6-32	Fairfield IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-33	Fairfield IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-34	Fairfield IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-35	Fairfield IPZs - Locations where conditions can be significant, moderate, or low
Map 6-36	Fairfield IPZs - Corridors
Map 6-37	Bath Intake Protection Zones 1 and 2
Map 6-38	Bath IPZs 1 and 2 - Vulnerability Scoring
Map 6-39	Bath IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-40	Bath IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-41	Bath IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-42	Bath IPZs - Locations where conditions can be significant, moderate, or low
Map 6-43	Bath IPZs - Corridors
Map 6-44	A.L. Dafoe Intake Protection Zones 1 and 2
Map 6-45	A.L. Dafoe IPZs 1 and 2 - Vulnerability Scoring
Map 6-45a	AL. Dafoe and Sandhurst Shores - Vulnerability Scoring
Map 6-46	A.L. Dafoe IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-47	A.L. Dafoe IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-48	A.L. Dafoe IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-49	A.L. Dafoe IPZs - Locations where conditions can be significant, moderate, or low
Map 6-50	A.L. Dafoe IPZs - Corridors
Map 6-51	Sandhurst Shores Intake Protection Zones 1 and 2

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

Map 6-52	Sandhurst Shores IPZs 1 and 2 - Vulnerability Scoring
Map 6-52a	Sandhurst Shores and A.L. Dafoe - Vulnerability Scoring
Map 6-53	Sandhurst Shores IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-54	Sandhurst Shores IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-55	Sandhurst Shores IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-56	Sandhurst Shores IPZs - Locations where conditions can be significant, moderate, or low
Map 6-57	Sandhurst Shores IPZs - Corridors
Map 6-58	Great Lakes Intake Protection Zone 3
Map 6-59	Picton Intake Protection Zones
Map 6-60	Picton IPZs - Vulnerability Scoring
Map 6-61	Picton IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-62	Picton IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-63	Picton IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-64	Picton IPZs - Locations where conditions can be significant, moderate, or low
Map 6-65	Picton IPZs - Corridors
Map 6-66	Sydenham Intake Protection Zones
Map 6-67	Sydenham IPZs - Vulnerability Scoring
Map 6-68	Sydenham IPZs - Locations where chemical threats can be significant, moderate, or low
Map 6-69	Sydenham IPZs - Locations where pathogen threats can be significant, moderate, or low
Map 6-70	Sydenham IPZs - Locations where DNAPL threats can be significant, moderate, or low
Map 6-71	Sydenham IPZs - Locations where conditions can be significant, moderate, or low
Map 6-72	Sydenham IPZs - Corridors

List of Appendices (Volume III)

- ‘A’ Cataraqui Source Protection Committee Biographies
- ‘B’ Summary of Consultation on the Assessment Report
- ‘C-1’ Watershed Characterization: Water Quality Evaluation Methods
- ‘C-2’ Watershed Characterization Report: Summary Tables
- ‘C-3’ Letter from the Ontario Ministry of the Environment to the Cataraqui Source Protection Area, approving the use of an alternate method to calculate Livestock Density
- ‘D-1’ Water Budgets: Detailed Information
- ‘D-2’ Letter from the Ontario Ministry of the Environment to the Cataraqui Source Protection Area, approving the use of an alternate method for the Sydenham Tier 3 Water Budget
- ‘E-1’ Source Water Quality: Issue Evaluation: Protocol
- ‘E-2’ Source Water Quality: Issue Evaluation Summary Tables
- ‘E-3’ Source Water Issue Contributing Area Delineation Plans
- ‘F-1’ List of the Ministry of the Environment’s Prescribed Drinking Water Threats
- ‘F-2’ Letter from the Ontario Ministry of the Environment to the Cataraqui Source Protection Area, approving the addition of Water Softeners as a Local Drinking Water Threat
- ‘F-3’ Letter from the Ontario Ministry of the Environment to the Cataraqui Source Protection Area, approving the addition of Transportation of Specified Substances along Corridors
- ‘G’ Provincial Tables of Significant, Moderate and Low Drinking Water Threats
- ‘H’ Enumeration of Significant, Moderate and Low Drinking Water Threats
- ‘I’ Transportation Corridors
- ‘J’ Eastern Lake Ontario / Upper St. Lawrence River IPZ Study Vulnerability Classification
- ‘K’ Data Sources, Analyses, and Limitations
- ‘L’ Supporting Technical Studies:
 - ‘L-1’ Technical Rules: Assessment Report (Ontario Ministry of the Environment, 2009)
 - ‘L-2’ Watershed Characterization Report: Cataraqui Source Protection Area (Cataraqui Region Conservation Authority, 2008)
 - ‘L-3’ Conceptual Water Budget: Cataraqui Source Protection Area (Cataraqui Region Conservation Authority, 2009)
 - ‘L-4’ Final Report: Tier 1 Water Budget and Water Quantity Stress Assessment: Cataraqui Source Protection Area (XCG Consultants Ltd., 2010)
 - ‘L-5a’ Final Report: Tier 2 Water Budget for Sydenham Lake Subwatershed (XCG Consultants Ltd., 2010)

Cataraqui Source Protection Area
Amended Proposed Assessment Report
(June 2011)

- 'L-5b' Final Report: Tier 3 Water Budget: Community of Sydenham (XCG Consultants Ltd., 2011)
- 'L-6' Wellhead Protection Area (WHPA) and Tier 2 Water Budget Study: Lansdowne, Ontario (Final Report) (Geofirma Engineering Ltd., 2011)
- 'L-7' Frontenac Islands Groundwater and Aquifer Characterization Study (Cataraqui Region Conservation Authority, 2007)
- 'L-8' Groundwater Vulnerability Analysis Study (Dillon Consulting Ltd., 2008)
- 'L-9' Report on Cana Subdivision Wellhead Protection Area Study (Golder Associates Ltd., 2009)
- 'L-10' Report on Miller Manor Apartments Wellhead Protection Area Study (Golder Associates Ltd., 2009)
- 'L-11a' Delineation of Intake Protection Zones in the CRCA Jurisdiction – Modeling Approach (Queen's University Department of Civil Engineering, 2009)
- 'L-11b' Eastern Lake Ontario/Upper St. Lawrence River Intake Protection Zone 3: Discharge Concentration Modeling Report for Consideration of Significant Threats (Cataraqui Region Conservation Authority, 2010)
- 'L-12' Final Report: Community of Sydenham Intake Protection Zone Study (XCG Consultants Ltd., 2009)
- 'L-13' Cataraqui Source Protection Area: Climate Change Considerations for the Water Budget (Cataraqui Region Conservation Authority, 2009)